

Orthotic and Prosthetic Appliances: Billing Codes – Prosthetics

Page updated: November 2022

This section lists the HCPCS codes and maximum allowances for prosthetic appliances. Refer to the *Orthotic and Prosthetic Appliances and Services* section in the appropriate Part 2 manual for policy information.

In compliance with *Welfare and Institutions Code* 14105.21, reimbursement for prosthetic appliances may not exceed 80 percent of the lowest maximum allowance for California, established by the federal Medicare program for the same or similar services.

Note: Per Title 22, *California Code of Regulations*, Section 51321(g): Authorization for durable medical equipment shall be limited to the lowest cost item that meets the patient's medical needs.

Codes and Rates

«HCPCS codes for orthotic appliances are described as listed below. For reimbursement rates, providers should refer to the [Medi-Cal Rates](#) page on the Medi-Cal Providers website.»

Lower Limb Prostheses

Partial Foot

HCPCS Code	Description
L5000	Shoe insert with longitudinal arch, toe filler
L5010	Molded socket, ankle height, with toe filler
L5020	Molded socket, tibial tubercle height, with toe filler

Ankle

HCPCS Code	Description
L5050	Symes, molded socket, SACH foot
L5060	Symes, metal frame, molded leather socket, articulated ankle/foot

Below Knee

HCPCS Code	Description
L5100	Molded socket, shin, SACH foot
L5105	Plastic socket, joints and thigh lacer, SACH foot

Knee Disarticulation

HCPCS Code	Description
L5150	Molded socket, external knee joints, shin, SACH foot
L5160	Molded socket, bent knee configuration, external knee joints, shin, SACH foot

Above Knee

HCPCS Code	Description
L5200	Molded socket, single axis constant friction knee, shin, SACH foot
L5210	Short prosthesis, no knee joint ("Stubbies"), with foot blocks, no ankle joints, each
L5220	Short prosthesis, no knee joint ("Stubbies"), with articulated ankle/foot, dynamically aligned, each
L5230	Constant friction knee, shin, SACH foot

Hip Disarticulation

HCPCS Code	Description
L5250	Canadian type; molded socket, hip joint, single axis constant friction knee, shin, SACH foot
L5270	Tilt table type; molded socket, locking hip joint, single axis constant friction knee, shin, SACH foot

Hemipelvectomy

HCPCS Code	Description
L5280	Canadian type; molded socket, hip joint, single axis constant friction knee, shin, SACH foot

Endoskeletal

HCPCS Code	Description
L5301	Below knee, molded socket, shin, SACH foot, endoskeletal system
L5312	Knee disarticulation (or through knee), molded socket, single axis knee, pylon, SACH foot, endoskeletal system
L5321	Above knee, molded socket, open end, SACH foot, endoskeletal system, single axis knee
L5331	Hip disarticulation, Canadian type, molded socket, endoskeletal system, hip joint, single axis knee, SACH foot
L5341	Hemipelvectomy, Canadian type, molded socket, endoskeletal system, hip joint, single axis knee, SACH foot

Immediate and Early Post Surgical Procedures

HCPCS Code	Description
L5400	Application of initial rigid dressing, including fitting, alignment, suspension, and one cast change, below knee
L5410	Application of initial rigid dressing, including fitting, alignment and suspension, below knee, each additional cast change and realignment
L5420	Application of initial rigid dressing, including fitting, alignment and suspension, and one cast change "AK" or knee disarticulation
L5430	Application of initial rigid dressing, including fitting, alignment and suspension, "AK" or knee disarticulation, each additional cast change and realignment
L5450	Application of non-weight bearing rigid dressing, below knee
L5460	Application of non-weight bearing rigid dressing, above knee

Initial Prosthesis

HCPCS Code	Description
L5500	Below knee "PTB" type socket, non-alignable system pylon, no cover, SACH foot, plaster socket, direct formed
L5505	Above knee – knee disarticulation, ischial level socket, non-alignable system pylon, no cover, SACH foot plaster socket, direct formed

Preparatory Prosthesis – Below Knee

HCPCS Code	Description
L5510	"PTB" type socket, non-alignable system pylon, no cover, SACH foot, plaster socket, molded to model
L5520	"PTB" type socket, non-alignable system pylon, no cover, SACH foot, thermoplastic or equal, direct formed
L5530	"PTB" type socket, non-alignable system pylon, no cover, SACH foot, thermoplastic or equal, molded to model
L5535	"PTB" type socket, non-alignable system pylon, no cover, SACH foot, prefabricated, adjustable open end socket
L5540	"PTB" type socket, non-alignable system pylon, no cover, SACH foot, laminated socket, molded to model

Preparatory Prosthesis – Above Knee

HCPCS Code	Description
L5560	Knee disarticulation, ischial level socket, non-alignable system pylon, no cover, SACH foot, plaster socket, molded to model
L5570	Knee disarticulation, ischial level socket, non-alignable system pylon, no cover, SACH foot, thermoplastic or equal, direct formed
L5580	Knee disarticulation, ischial level socket, non-alignable system pylon, no cover, SACH foot, thermoplastic or equal, molded to model
L5585	Knee disarticulation, ischial level socket, non-alignable system pylon, no cover, SACH foot, prefabricated adjustable open end socket
L5590	Knee disarticulation, ischial level socket, non-alignable system pylon, no cover, SACH foot, laminated socket, molded to model
L5595	Hip disarticulation-hemipelvectomy, pylon, no cover, SACH foot, thermoplastic or equal, molded to patient model
L5600	Hip disarticulation-hemipelvectomy, pylon, no cover, SACH foot, laminated socket, molded to patient model

Additions – Endoskeletal System – Above Knee

HCPCS Code	Description
K1022	Addition to lower extremity prosthesis, endoskeletal, knee disarticulation, above knee, hip disarticulation, positional rotation unit, any type
L5610	Hydracadence system
L5611	Knee disarticulation, 4-bar linkage, with friction swing phase control
L5613	Knee disarticulation, 4-bar linkage, with hydraulic swing phase control
L5614	Knee disarticulation, 4-bar linkage, with pneumatic swing phase control
L5616	Universal multiplex system, friction swing phase control
L5617	Quick change self-aligning unit, above knee or below knee, each

Additions – Test Sockets

HCPCS Code	Description
L5618	Symes
L5620	Below knee
L5622	Knee disarticulation
L5624	Above knee
L5626	Hip disarticulation
L5628	Hemipelvectomy
L5629	Below knee, acrylic socket

Additions – Socket Variations

HCPCS Code	Description
L5630	Symes type, expandable wall socket
L5631	Above knee or knee disarticulation, acrylic socket
L5632	Symes type, "PTB" brim design socket
L5634	Symes type, posterior, opening (Canadian) socket
L5636	Symes type, medial opening socket
L5637	Below knee, total contact
L5638	Below knee, leather socket
L5639	Below knee, wood socket
L5640	Knee disarticulation, leather socket
L5642	Above knee, leather socket
L5643	Hip disarticulation, flexible inner socket, external frame
L5644	Above knee, wood socket
L5645	Below knee, flexible inner socket, external frame
L5646	Below knee, air, fluid, gel or equal, cushion socket
L5647	Below knee suction socket
L5648	Above knee, air, fluid, gel or equal, cushion socket
L5649	Ischial containment/narrow M-L socket
L5650	Total contact, above knee or knee disarticulation socket
L5651	Above knee, flexible inner socket, external frame
L5652	Suction suspension, above knee or knee disarticulation socket
L5653	Knee disarticulation, expandable wall socket

Additions – Socket Inserts

HCPCS Code	Description
L5654	Symes (Kemblo, Pelite, Aliplast, Plastazote or equal)
L5655	Below knee (Kemblo, Pelite, Aliplast, Plastazote or equal)
L5656	Knee disarticulation (Kemblo, Pelite, Aliplast, Plastazote or equal)
L5658	Above knee (Kemblo, Pelite, Aliplast, Plastazote or equal)
L5661	Multi-durometer Symes
L5665	Multi-durometer, below knee
L7700	Gasket or seal, for use with prosthetic socket insert, any type, each

Additions – Socket Inserts

HCPCS Code	Description
L5654	Symes (Kemblo, Pelite, Aliplast, Plastazote or equal)
L5655	Below knee (Kemblo, Pelite, Aliplast, Plastazote or equal)
L5656	Knee disarticulation (Kemblo, Pelite, Aliplast, Plastazote or equal)
L5658	Above knee (Kemblo, Pelite, Aliplast, Plastazote or equal)
L5661	Multi-durometer Symes
L5665	Multi-durometer, below knee
L7700	Gasket or seal, for use with prosthetic socket insert, any type, each

Additions – Suspension – Above Knee

HCPCS Code	Description
L5692	Pelvic control belt, light
L5694	Pelvic control belt, padded and lined
L5695	Pelvic control, sleeve suspension, Neoprene or equal, each
L5696	Pelvic joint
L5697	Pelvic band
L5698	Silesian bandage
L5699	Shoulder harness for all lower extremity prostheses

Additions (Replacements) – Feet – Ankle Units

HCPCS Code	Description
L5700	Socket, below knee, molded to patient model
L5701	Socket, above knee – knee disarticulation, including attachment plate, molded to patient model
L5702	Socket, hip disarticulation, including hip joint, molded to patient model
L5703	Ankle, Symes, molded to patient model, socket without solid ankle cushion heel
L5704	Custom-shaped protective cover, below knee
L5705	Custom-shaped protective cover, above knee
L5706	Custom-shaped protective cover, knee disarticulation
L5707	Custom-shaped protective cover, hip disarticulation

Exoskeletal Additions – Knee – Shin System

HCPCS Code	Description
L5710	Single axis, manual lock
L5711	Single axis, manual lock, ultra-light material
L5712	Single axis, friction swing and stance phase control (safety knee)
L5714	Single axis, variable friction swing phase control
L5716	Polycentric, mechanical stance phase lock
L5718	Polycentric, friction swing and stance phase control
L5722	Single axis, pneumatic swing, friction stance phase control
L5724	Single axis, fluid swing phase control
L5726	Single axis, external joints fluid swing phase control
L5728	Single axis, fluid swing and stance phase control
L5780	Single axis, pneumatic/hydra pneumatic swing phase control
L5781	Vacuum pump, residual limb volume management and moisture evacuation system
+L5782	Vacuum pump, residual limb volume management and moisture evacuation system, heavy duty
L5785	Below knee, ultra-light material (titanium, carbon fiber or equal)
L5790	Above knee, ultra-light material (titanium, carbon fiber or equal)
L5795	Hip disarticulation, ultra-light material (titanium, carbon fiber or equal)

Endoskeletal Additions – Knee – Shin System

HCPCS Code	Description
L5810	Single axis, manual lock
L5811	Single axis, manual lock, ultra-light material
L5812	Single axis, friction swing and stance phase control (safety knee)
L5814	Polycentric, hydraulic swing phase control, mechanical stance phase lock
L5816	Polycentric, mechanical stance phase lock
L5818	Polycentric, friction swing, and stance phase control
L5822	Single axis, pneumatic swing, friction stance phase control
L5824	Single axis, fluid swing phase control

Endoskeletal Additions – Knee – Shin System (continued)

HCPCS Code	Description
L5826	Single axis, hydraulic swing phase control, with miniature high activity frame
L5828	Single axis, fluid swing and stance phase control
L5830	Single axis, pneumatic/swing phase control
L5840	4-bar linkage or multiaxial, pneumatic swing phase control
L5845	Stance flexion feature, adjustable
L5848	Fluid stance extension, dampening feature, with or without adjustability
L5850	Above knee or hip disarticulation, knee extension assist
L5855	Hip disarticulation, mechanical hip extension assist
L5856	Microprocessor control feature, swing and stance phase, includes electronic sensor(s), any type
L5857	Microprocessor control feature, swing phase only, includes electronic sensor(s), any type
L5858	Microprocessor control feature, stance phase only, includes electronic sensor(s), any type
«L5859	Powered and programmable flexion/extension assist control, includes any type motor(s)»
L5910	Below knee, alignable system
L5920	Above knee or hip disarticulation, alignable system
L5925	Above knee, knee disarticulation or hip disarticulation, manual lock
L5930	High activity knee control frame
L5940	Below knee, ultra-light material (titanium, carbon fiber or equal)
L5950	Above knee, ultra-light material (titanium, carbon fiber or equal)
L5960	Hip disarticulation, ultra-light material (titanium, carbon fiber or equal)
L5961	Polycentric hip joint, pneumatic or hydraulic control, rotation control, with or without flexion, and/or extension control
L5962	Below knee, flexible protective outer surface covering system
L5964	Above knee, flexible protective outer surface covering system
L5966	Hip disarticulation, flexible outer surface covering system

Miscellaneous

HCPCS Code	Description
L5968	Addition to lower limb prosthesis, multiaxial ankle with swing phase active dorsiflexion feature
L5970	All lower extremity prostheses, foot, external keel, SACH foot
L5971	All lower extremity prostheses, solid ankle cushion heel (SACH) foot, replacement only
L5972	All lower extremity prostheses, flexible keel foot (Safe, Sten, Bock Dynamic or equal)
L5973	Endoskeletal ankle foot system, microprocessor controlled feature, dorsiflexion and/or plantar flexion control, includes power source
L5974	All lower extremity prostheses, foot, single axis ankle/foot
L5975	All lower extremity prostheses, combination single axis ankle and flexible keel foot
L5976	All lower extremity prostheses, energy storing foot (Seattle Carbon Copy II or equal)
L5978	All lower extremity prostheses, foot, multi-axial ankle/foot
L5979	All lower extremity prostheses, multi-axial ankle, dynamic response foot, one piece system
L5980	All lower extremity prostheses, flex foot system
L5981	All lower extremity prostheses, flex-walk system or equal
L5982	All exoskeletal lower extremity prostheses, axial rotation unit
L5984	All endoskeletal lower extremity prostheses, axial rotation unit, with or without adjustability
L5985	All endoskeletal lower extremity prostheses, dynamic prosthetic pylon
L5986	All lower extremity prostheses, multi-axial rotation unit ("MCP" or equal)
L5987	All lower extremity prostheses, shank foot system with vertical loading pylon
L5988	Addition to lower limb prosthesis, vertical shock reducing pylon feature
L5990	Addition to lower extremity prosthesis, user adjustable heel height
«L5991	Addition to lower extremity prostheses, osseointegrated external prosthetic connector»

Upper Limb Prostheses

Partial Hand

HCPCS Code	Description
L6000	Robin-Aids, thumb remaining (or equal)
L6010	Robin-Aids, little and/or ring finger remaining (or equal)
L6020	Robin-Aids, no finger remaining (or equal)
L6026	Transcarpal/metacarpal or partial hand disarticulation prosthesis, external power, self-suspended, inner socket with removable forearm section, electrodes and cables, two batteries, charger, myoelectric control of terminal device, excludes terminal device(s)

Wrist Disarticulation

HCPCS Code	Description
L6050	Wrist disarticulation, molded socket; flexible elbow hinges, triceps pad
L6055	Wrist disarticulation, molded socket with expandable interface, flexible elbow hinges, triceps pad

Elbow

HCPCS Code	Description
L6100	Below elbow, molded socket, flexible elbow hinge, triceps pad
L6110	Below elbow, molded socket, (Muenster or Northwestern suspension types)
L6120	Below elbow, molded double wall split socket, step-up hinges, half cuff
L6130	Below elbow, molded double wall split socket, stump activated locking hinge, half cuff
L6200	Elbow disarticulation, molded socket, outside locking hinge, forearm
L6205	Elbow disarticulation, molded socket with expandable interface, outside locking hinges, forearm
L6250	Above elbow, molded double wall socket, internal locking elbow, forearm

Shoulder

HCPCS Code	Description
L6300	Molded socket, shoulder bulkhead, humeral section, internal locking elbow, forearm
L6310	Passive restoration (complete prosthesis)
L6320	Passive restoration (shoulder cap only)

Interscapular Thoracic

HCPCS Code	Description
L6350	Molded socket, shoulder bulkhead, humeral section, internal locking elbow, forearm
L6360	Passive restoration (complete prosthesis)
L6370	Passive restoration (shoulder cap only)

Immediate and Early Surgical Procedures

HCPCS Code	Description
L6380	Application of initial rigid dressing, including fitting alignment and suspension of components, and one cast change, wrist disarticulation or below elbow
L6382	Application of initial rigid dressing, including fitting alignment and suspension of components, and one cast change, elbow disarticulation or above elbow
L6384	Application of initial rigid dressing including fitting alignment and suspension of components, and one cast change, shoulder disarticulation or interscapular thoracic
L6386	Each additional cast change and realignment
L6388	Application of rigid dressing only

Endoskeletal – Elbow or Shoulder Area

HCPCS Code	Description
L6400	Below elbow, molded socket, endoskeletal system, including soft prosthetic tissue shaping
L6450	Elbow disarticulation, molded socket, endoskeletal system, including soft prosthetic tissue shaping
L6500	Above elbow, molded socket, endoskeletal system, including soft prosthetic tissue shaping
L6550	Shoulder disarticulation, molded socket, endoskeletal system, including soft prosthetic tissue shaping

Endoskeletal – Interscapular Thoracic

HCPCS Code	Description
L6570	Molded socket, endoskeletal system, including soft prosthetic tissue shaping
L6580	Preparatory, wrist disarticulation or below elbow, single wall plastic socket, friction wrist, flexible elbow hinges, figure of eight harness, humeral cuff, bowden cable control, USMC or equal pylon, no cover, molded to patient model
L6582	Preparatory, wrist disarticulation or below elbow, single wall socket, friction wrist, flexible elbow hinges, figure of eight harness, humeral cuff, bowden cable control, USMC or equal pylon, no cover, direct formed
L6584	Preparatory, elbow disarticulation or above elbow, single wall plastic socket, friction wrist, locking elbow, figure of eight harness, fair lead cable control, USMC or equal pylon, no cover, molded to patient model

Endoskeletal – Interscapular Thoracic (continued)

HCPCS Code	Description
L6586	Preparatory, elbow disarticulation or above elbow, single wall socket, friction wrist, locking elbow, figure or eight harness, fair lead cable control, USMC or equal pylon, no cover, direct formed
L6588	Preparatory, shoulder disarticulation or interscapular thoracic, single wall plastic socket, shoulder joint, locking elbow, friction wrist, chest strap, fair lead cable control, USMC or equal pylon, no cover, molded to patient model
L6590	Preparatory, shoulder disarticulation or interscapular thoracic, single wall socket, shoulder joint, locking elbow, friction wrist, chest strap, fair lead cable control, USMC or equal pylon, no cover, direct formed

Additions: Upper Limb

HCPCS Code	Description
L6600	Polycentric hinge, pair
L6605	Single pivot hinge, pair
L6610	Flexible metal hinge, pair
+L6611	Prosthesis, externally powered, additional switch, any type
L6615	Disconnect locking wrist unit
L6616	Additional disconnect insert for locking wrist unit, each
L6620	Flexion/extension wrist unit, with or without friction
L6621	Flexion/extension wrist with or without friction, for use with external powered terminal device
L6623	Spring assisted rotational wrist unit with latch release
+L6624	Flexion/extension and rotation wrist unit

Additions: Upper Limb (continued)

HCPCS Code	Description
L6625	Rotation wrist unit with cable lock
L6628	Quick disconnect hook adapter, Otto Bock or equal
L6629	Quick disconnect lamination collar with coupling piece, Otto Bock or equal
L6630	Stainless steel, any wrist
L6632	Latex suspension sleeve, each
L6635	Lift assist for elbow
L6637	Nudge control elbow lock
L6638	Electric locking feature, only for use with manually powered elbow
L6640	Shoulder abduction joint, pair
L6641	Excursion amplifier, pulley type
L6642	Excursion amplifier, lever type
L6645	Shoulder flexion-abduction joint, each
L6646	Shoulder joint, multipositional locking, flexion, adjustable abduction friction control, for use with body powered or external powered system
L6647	Shoulder lock mechanism, body powered actuator
L6648	Shoulder lock mechanism, external powered actuator
L6650	Shoulder universal joint, each
L6655	Standard control cable, extra
L6660	Heavy duty control cable
L6665	Teflon, or equal, cable lining
L6670	Hook to hand, cable adapter
L6672	Harness, chest or shoulder, saddle type
L6675	Harness, (e.g., figure of eight type), single cable design
L6676	Harness, (e.g., figure of eight type), dual cable design
L6677	Harness, triple control, simultaneous operation of terminal device and elbow

Additions: Upper Limb (continued)

HCPCS Code	Description
L6680	Test socket, wrist disarticulation or below elbow
L6682	Test socket, elbow disarticulation or above elbow
L6684	Test socket, shoulder disarticulation or interscapular thoracic
L6686	Suction socket
L6687	Frame type socket, below elbow or wrist disarticulation
L6688	Frame type socket, above elbow or elbow disarticulation
L6689	Frame type socket, shoulder disarticulation
L6690	Frame type socket, interscapular thoracic
L6691	Removable insert, each
L6692	Silicone gel insert or equal, each
L6693	Locking elbow, forearm counterbalance
+L6694	Custom elbow socket insert, for use with locking mechanism
+L6695	Custom elbow socket insert, for use without locking mechanism
+L6696	Custom elbow socket insert for congenital or atypical traumatic amputee, for use with or without locking mechanism
+L6697	Custom elbow socket insert for other than congenital or atypical traumatic amputee, for use with or without locking mechanism
+L6698	Below/above elbow lock mechanism, excludes socket insert
L6883	Replacement socket, below elbow/wrist disarticulation, molded to patient model, for use with or without external power
L6884	Replacement socket, above elbow/elbow disarticulation, molded to patient model, for use with or without external power
L6885	Replacement socket, shoulder disarticulation/interscapular thoracic, molded to patient model, for use with or without external power
L7400	Below elbow/wrist disarticulation, ultralight material
L7401	Above elbow disarticulation, ultralight material
L7402	Shoulder disarticulation/interscapular thoracic, ultralight material
L7403	Below elbow/wrist disarticulation, acrylic material
L7404	Above elbow disarticulation, acrylic material
L7405	Shoulder disarticulation/interscapular thoracic, acrylic material
L7700	Gasket or seal, for use with prosthetic socket insert, any type, each

Terminal Devices – Hooks

HCPCS Code	Description
L6703	Passive, hand/mitt, any material, any size
L6704	Sport/recreational/work attachment, any material, any size
L6706	Mechanical, voluntary opening, any material, any size, lined or unlined.
L6707	Mechanical, voluntary closing, any material, any size, lined or unlined.
L6711	Mechanical, voluntary opening, any material, any size, lined or unlined, pediatric
L6712	Mechanical, voluntary closing, any material, any size, lined or unlined, pediatric
L6805	Addition to terminal device; modifier wrist unit
L6810	Addition to terminal device; precision pinch device

Terminal Devices – Hand

HCPCS Code	Description
L6708	Mechanical, voluntary opening, any material, any size
L6709	Mechanical, voluntary closing, any material, any size
L6713	Mechanical, voluntary opening, any material, any size, pediatric
L6714	Mechanical, voluntary closing, any material, any size, pediatric
L6715	Multiple articulating digit, includes motor(s), initial issue or replacement
L6880	Electric hand, switch or myoelectric controlled, independently articulating digits, any grasp pattern or combination of grasp patterns, includes motor(s)
+L6881	Automatic grasp feature, addition to upper limb electric prosthetic terminal device
+L6882	Microprocessor control feature, addition to upper limb prosthetic terminal device
L6890	Glove for above hands, prefabricated, includes fitting and adjustment
L6895	Glove for above hands, any material, custom glove, fabricated

Terminal Devices – Heavy Duty

HCPCS Code	Description
L6721	Hook or hand, mechanical, voluntary opening, any material, any size, lined or unlined
L6722	Hook or hand, mechanical, voluntary closing, any material, any size, lined or unlined

Hand Restoration (Casts, shading and measurements included)

HCPCS Code	Description
L6900	Partial hand, with glove, thumb or one finger remaining
L6905	Partial hand, with glove, multiple fingers remaining
L6910	Partial hand, with glove, no fingers remaining
L6915	Replacement glove for above (does not include cast)

External Power – Base Devices

HCPCS Code	Description
L6920	Wrist disarticulation, self-suspended inner socket, removable forearm shell, Otto Bock or equal, switch, cables, two batteries and one charger, switch control of terminal device
L6925	Wrist disarticulation, self-suspended inner socket, removable forearm shell, Otto Bock or equal electrodes, cables, two batteries and one charger, myoelectronic control of terminal device
L6930	Below elbow, self-suspended inner socket, removable forearm shell, Otto Bock or equal switch, cables, two batteries and one charger, switch control of terminal device
L6935	Below elbow, self-suspended inner socket, removable forearm shell, Otto Bock or equal electrodes, cables, two batteries and one charger, myoelectronic control of terminal device

External Power – Base Devices (continued)

HCPCS Code	Description
L6940	Elbow disarticulation, molded inner socket, removable humeral shell, outside locking hinges, forearm, Otto Bock or equal switch, cables, two batteries and one charger, switch control of terminal device
L6945	Elbow disarticulation, molded inner socket, removable humeral shell, outside locking hinges, forearm, Otto Bock or equal electrodes, cables, two batteries and one charger myoelectronic control of terminal device
L6950	Above elbow, molded inner socket, removable humeral shell, internal locking elbow, forearm, Otto Bock or equal switch, cables, two batteries and one charger switch control of terminal device
L6955	Above elbow, molded inner socket, removable humeral shell, internal locking elbow, forearm, Otto Bock or equal electrodes, cables, two batteries and one charger, myoelectronic control of terminal device
L6960	Shoulder disarticulation, molded inner socket, removable shoulder shell, shoulder bulkhead, humeral section, mechanical elbow, forearm, Otto Bock or equal switch two batteries and one charger, cables, switch control of terminal device
L6965	Shoulder disarticulation, molded inner socket, removable shoulder shell shoulder bulkhead, humeral section, mechanical elbow, forearm, Otto Bock or equal electrodes, cables, two batteries and one charger, switch control of terminal device
L6970	Interscapular-thoracic, molded inner socket, removable shoulder shell, shoulder bulkhead, humeral section, mechanical elbow, forearm, Otto Bock or equal switch, cables, two batteries and one charger, switch control of terminal device
L6975	Interscapular-thoracic, molded inner socket, removable shoulder shell, shoulder bulkhead humeral section, mechanical elbow, forearm, Otto Bock or equal electrodes, cables, two batteries and one charger, myoelectronic control of terminal device

External Power – Terminal Devices

HCPCS Code	Description
L7007	Electric hand, switch or myoelectric controlled, adult
L7008	Electric hand, switch or myoelectric controlled, pediatric
L7009	Electric hook, switch or myoelectric controlled, adult
L7040	Prehensile actuator, switch controlled
L7045	Electric hook, switch or myoelectric controlled, pediatric

Electronic Elbows

HCPCS Code	Description
L7170	Hosmer or equal, switch controlled
L7180	Microprocessor sequential control
+L7181	Microprocessor simultaneous control
L7185	Adolescent, Variety Village or equal, switch controlled
L7186	Child, Variety Village or equal, switch controlled
L7190	Adolescent, Variety Village or equal, myoelectronically controlled
L7191	Child, Variety Village or equal, myoelectronically controlled

Control Modules and Battery Components

HCPCS Code	Description
L7259	Electronic wrist rotator, any type
L7360	Six volt battery, Otto Bock or equal, each
L7362	Battery charger, six volt, Otto Bock or equal
L7364	Twelve volt battery, Utah or equal, each
L7366	Battery charger, twelve volt, Utah or equal
L7367	Lithium ion battery, rechargeable, replacement
L7368	Lithium ion battery charger

Breast Prostheses

HCPSC Code	Description
A4280	Adhesive skin support attachment for use with external breast prosthesis, each
‡L8000	Mastectomy bra
‡L8001	Mastectomy bra, with integrated breast prosthesis form, unilateral
‡L8002	Mastectomy bra, with integrated breast prosthesis form, bilateral
‡L8010	Mastectomy sleeve
‡L8015	External breast prosthesis garment, with mastectomy form, post mastectomy
L8020	Mastectomy form
L8030	Breast prosthesis; silicone or equal, without integral adhesive
L8031	Breast prosthesis; silicone or equal, with integral adhesive
L8032	Nipple prosthesis, reusable, any type
L8033	Nipple prosthesis, custom fabricated, reusable, any material, any type, each

Prosthetic Socks

HCPCS Code	Description
L8400	Prosthetic sheath, below knee, each
L8410	Prosthetic sheath, above knee, each
L8415	Prosthetic sheath, upper limb, each
L8417	Prosthetic sheath/sock, including a gel cushion layer, below knee or above knee, each
L8420	Prosthetic sock, multiple ply, below knee, each
L8430	Prosthetic sock, multiple ply, above knee, each
L8435	Prosthetic sock, multiple ply, upper limb, each
L8440	Prosthetic shrinker, below knee, each
L8460	Prosthetic shrinker, above knee, each
L8465	Prosthetic shrinker, upper limb, each
L8470	Prosthetic sock, single ply, fitting, below knee, each
L8480	Prosthetic sock, single ply, fitting, above knee, each
L8485	Prosthetic sock, single ply, fitting, upper limb, each

Repairs for Prosthesis, Labor and Material

HCPCS Code	Description
L7510	Repair of prosthetic device, repair or replace minor parts
L7520	Repair of prosthetic device, labor component, per 15 minutes

Legend

Symbols used in the document above are explained in the following table.

Symbol	Description
«	This is a change mark symbol. It is used to indicate where on the page the most recent change begins.
»	This is a change mark symbol. It is used to indicate where on the page the most recent change ends.
+	Authorization is always required for this procedure code. Authorization is additionally required for <u>all</u> prosthetic codes when the cumulative costs for purchase, replacement or repair of prosthetics exceeds 500 within a 90-day period. This policy also applies to daily amounts that exceed 500 for an individual item or combination of items.
‡	Items designated by a double dagger (‡) may be reimbursed by the Medi-Cal program as defined in CCR, Title 22, Section 51315, only if the pharmacy/pharmacist is licensed and enrolled in the Medi-Cal program as a provider. The only provider types that may bill for and furnish items not designated with a double dagger (‡) are orthotists, prosthetists, podiatrists and physicians, as specified in CCR, Title 22, Section 51315, and CCS providers.